ELSEVIER

Molecular Cell Research

Vol. 1359, 1997

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

Author Index

Allan, D., see Miro Obradors, M.J. (1359) 1
Asahi, K.-i., see Kanatani, Y. (1359) 71

Barbin, L., see Fabbri, E. (1359) 233
Berchtold, M.W., see Ye, Q. (1359) 89
Biondi, C., see Fabbri, E. (1359) 233
Boonstra, J., see Van der Heyden, M.A.G. (1359) 211
Borner, C., see Ye, Q. (1359) 89
Burgess, J.W. and Stanley, K.K.
Estrogen-stimulated transcytosis of desialylated ligands and α_2 macroglobulin in rat liver (1359) 48
Burk, R.F., see Chittum, H.S. (1359) 25
Burke, J.R., Davern, L.B., Gregor, K.R. and Tramposch, K.M.
Leukotriene B_4 stimulates the release of arachidonate in human neutrophils via the action of cytosolic phospholipase A_2 (1359) 80

Calvo, J.R., see Pozo, D. (1359) 250
Cariani, A., see Fabbri, E. (1359) 233
Carlson, B.A., see Chittum, H.S. (1359) 25
Carr, C., see Georgoussi, Z. (1359) 263
Chen, X., Hausman, D.B., Dean, R.G. and Hausman, G.J.
Differentiation-dependent expression of obese (ob) gene by preadipocytes and adipocytes in primary cultures of porcine stromal-vascular cells (1359) 136
Chittum, H.S., Hill, K.E., Carlson, B.A., Lee, B.J., Burk, R.F. and Hatfield, D.L.
Replenishment of selenium deficient rats with selenium results in redistribution of the selenocysteine tRNA population in a tissue specific manner (1359) 25
Colamussi, M.L., see Fabbri, E. (1359) 233

Davern, L.B., see Burke, J.R. (1359) 80
Dean, R.G., see Chen, X. (1359) 136
Delgado, M., see Pozo, D. (1359) 250
Denizot, Y., see Dupuis, F. (1359) 241
Dulery, C., see Dupuis, F. (1359) 241
Dupuis, F., Levasseur, S., Jean-Louis, F., Dulery, C., Praloran, V., Denizot, Y. and Michel, L.
Production, metabolism and effect of platelet-activating factor on the growth of the human K562 erythroid cell line (1359) 241

Eakes, A.T., Harvey, S.A.K. and Olson, M.S.
Endothelin association with cultured rat hepatic endothelial cells: functional characterization (1359) 153
Espinoza, D., see Zhang, W. (1359) 110

Fabbri, E., Spisani, S., Biondi, C., Barbin, L., Colamussi, M.L., Cariani, A., Traniello, S., Torrini, I. and Ferretti, M.E.
Two For-Met–Leu–Phe-OMe analogues trigger selective neutrophil responses. A differential effect on cytosolic free Ca^{2+} (1359) 233
Ferretti, M.E., see Fabbri, E. (1359) 233
Fischer, R., see Ye, Q. (1359) 89
Fontana, A., see Schlapbach, R. (1359) 174
Francis, C.E., see Zhao, Z. (1359) 143

Georgoussi, Z., Merkouris, M., Mullaney, I., Megaritis, G., Carr, C., Zioudrou, C. and Milligan, G.
Selective interactions of μ-opioid receptors with pertussis toxin-sensitive G proteins: involvement of the third intracellular loop and the c-terminal tail in coupling (1359) 263
Ghidoni, J.J., see Ghosh, P.M. (1359) 13
Ghosh-Choudhury, N., see Ghosh, P.M. (1359) 13
Ghosh, P.M., Mott, G.E., Ghosh-Choudhury, N., Radnik, R.A., Stapleton, M.L., Ghidoni, J.J. and Kreisberg, J.I.
Lovastatin induces apoptosis by inhibiting mitotic and post-mitotic events in cultured mesangial cells (1359) 13
Gomariz, R.P., see Pozo, D. (1359) 250
Gregor, K.R., see Burke, J.R. (1359) 80
Guerrero, J.M., see Pozo, D. (1359) 250

Hamashima, Y., see Ishiwata, H. (1359) 123
Harvey, S.A.K., see Eakes, A.T. (1359) 153
Hatfield, D.L., see Chittum, H.S. (1359) 25
Hausman, D.B., see Chen, X. (1359) 136
Hausman, G.J., see Chen, X. (1359) 136
Heim, H.-K., Piller, M., Schwede, J., Kilian, P., Netz-Piepenbrink, S. and Sewing, K.-F.
Pepsinogen synthesis during long-term culture of porcine chief cells (1359) 35
Hill, K.E., see Chittum, H.S. (1359) 25
Hines, V., see Zhang, W. (1359) 110
Hirata, M., see Takeuchi, H. (1359) 275
Honma, Y., see Kanatani, Y. (1359) 71
Hoshi, Y., Tanooka, H., Miyazaki, K. and Wakasugi, H.
Induction of thioredoxin in human lymphocytes with low-dose ionizing radiation (1359) 65
Howitt, S., see Miro Obradors, M.J. (1359) 1
Huber, L.A., see Vietor, I. (1359) 187

Innis, M., see Zhang, W. (1359) 110
Ishiwata, H., Sato, S.B., Vertut-Doï, A., Hamashima, Y. and Miyajima, K.
Cholesterol derivative of poly(ethylene glycol) inhibits clathrin-independent, but not clathrin-dependent endocytosis (1359) 123

Jean-Louis, F., see Dupuis, F. (1359) 241
Jockusch, B.M., see Schlüter, K. (1359) 97
Jun, D.Y., see Kim, I.-G. (1359) 181

Kameda, T., see Minegishi, T. (1359) 165
Kanatani, Y., Makishima, M., Asahi, K.-i., Sakurai, A., Takahashi, N., Motoyoshi, K., Nagata, N. and Honma, Y.

ELSEVIER

Molecular Cell Research

Vol. 1359, 1997

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

Author Index

Allan, D., see Miro Obradors, M.J. (1359) 1
Asahi, K.-i., see Kanatani, Y. (1359) 71

Barbin, L., see Fabbri, E. (1359) 233
Berchtold, M.W., see Ye, Q. (1359) 89
Biondi, C., see Fabbri, E. (1359) 233
Boonstra, J., see Van der Heyden, M.A.G. (1359) 211
Borner, C., see Ye, Q. (1359) 89
Burgess, J.W. and Stanley, K.K.
Estrogen-stimulated transcytosis of desialylated ligands and α_2 macroglobulin in rat liver (1359) 48
Burk, R.F., see Chittum, H.S. (1359) 25
Burke, J.R., Davern, L.B., Gregor, K.R. and Tramposch, K.M.
Leukotriene B_4 stimulates the release of arachidonate in human neutrophils via the action of cytosolic phospholipase A_2 (1359) 80

Calvo, J.R., see Pozo, D. (1359) 250
Cariani, A., see Fabbri, E. (1359) 233
Carlson, B.A., see Chittum, H.S. (1359) 25
Carr, C., see Georgoussi, Z. (1359) 263
Chen, X., Hausman, D.B., Dean, R.G. and Hausman, G.J.
Differentiation-dependent expression of obese (ob) gene by preadipocytes and adipocytes in primary cultures of porcine stromal-vascular cells (1359) 136
Chittum, H.S., Hill, K.E., Carlson, B.A., Lee, B.J., Burk, R.F. and Hatfield, D.L.
Replenishment of selenium deficient rats with selenium results in redistribution of the selenocysteine tRNA population in a tissue specific manner (1359) 25
Colamussi, M.L., see Fabbri, E. (1359) 233

Davern, L.B., see Burke, J.R. (1359) 80
Dean, R.G., see Chen, X. (1359) 136
Delgado, M., see Pozo, D. (1359) 250
Denizot, Y., see Dupuis, F. (1359) 241
Dulery, C., see Dupuis, F. (1359) 241
Dupuis, F., Levasseur, S., Jean-Louis, F., Dulery, C., Praloran, V., Denizot, Y. and Michel, L.
Production, metabolism and effect of platelet-activating factor on the growth of the human K562 erythroid cell line (1359) 241

Eakes, A.T., Harvey, S.A.K. and Olson, M.S.
Endothelin association with cultured rat hepatic endothelial cells: functional characterization (1359) 153
Espinoza, D., see Zhang, W. (1359) 110

Fabbri, E., Spisani, S., Biondi, C., Barbin, L., Colamussi, M.L., Cariani, A., Traniello, S., Torrini, I. and Ferretti, M.E.
Two For-Met–Leu–Phe-OMe analogues trigger selective neutrophil responses. A differential effect on cytosolic free Ca^{2+} (1359) 233
Ferretti, M.E., see Fabbri, E. (1359) 233
Fischer, R., see Ye, Q. (1359) 89
Fontana, A., see Schlapbach, R. (1359) 174
Francis, C.E., see Zhao, Z. (1359) 143

Georgoussi, Z., Merkouris, M., Mullaney, I., Megaritis, G., Carr, C., Zioudrou, C. and Milligan, G.
Selective interactions of μ-opioid receptors with pertussis toxin-sensitive G proteins: involvement of the third intracellular loop and the c-terminal tail in coupling (1359) 263
Ghidoni, J.J., see Ghosh, P.M. (1359) 13
Ghosh-Choudhury, N., see Ghosh, P.M. (1359) 13
Ghosh, P.M., Mott, G.E., Ghosh-Choudhury, N., Radnik, R.A., Stapleton, M.L., Ghidoni, J.J. and Kreisberg, J.I.
Lovastatin induces apoptosis by inhibiting mitotic and post-mitotic events in cultured mesangial cells (1359) 13
Gomariz, R.P., see Pozo, D. (1359) 250
Gregor, K.R., see Burke, J.R. (1359) 80
Guerrero, J.M., see Pozo, D. (1359) 250

Hamashima, Y., see Ishiwata, H. (1359) 123
Harvey, S.A.K., see Eakes, A.T. (1359) 153
Hatfield, D.L., see Chittum, H.S. (1359) 25
Hausman, D.B., see Chen, X. (1359) 136
Hausman, G.J., see Chen, X. (1359) 136
Heim, H.-K., Piller, M., Schwede, J., Kilian, P., Netz-Piepenbrink, S. and Sewing, K.-F.
Pepsinogen synthesis during long-term culture of porcine chief cells (1359) 35
Hill, K.E., see Chittum, H.S. (1359) 25
Hines, V., see Zhang, W. (1359) 110
Hirata, M., see Takeuchi, H. (1359) 275
Honma, Y., see Kanatani, Y. (1359) 71
Hoshi, Y., Tanooka, H., Miyazaki, K. and Wakasugi, H.
Induction of thioredoxin in human lymphocytes with low-dose ionizing radiation (1359) 65
Howitt, S., see Miro Obradors, M.J. (1359) 1
Huber, L.A., see Vietor, I. (1359) 187

Innis, M., see Zhang, W. (1359) 110
Ishiwata, H., Sato, S.B., Vertut-Doï, A., Hamashima, Y. and Miyajima, K.
Cholesterol derivative of poly(ethylene glycol) inhibits clathrin-independent, but not clathrin-dependent endocytosis (1359) 123

Jean-Louis, F., see Dupuis, F. (1359) 241
Jockusch, B.M., see Schlüter, K. (1359) 97
Jun, D.Y., see Kim, I.-G. (1359) 181

Kameda, T., see Minegishi, T. (1359) 165
Kanatani, Y., Makishima, M., Asahi, K.-i., Sakurai, A., Takahashi, N., Motoyoshi, K., Nagata, N. and Honma, Y.

Differanisole A, a novel antitumor antibiotic, enhances growth inhibition and differentiation of human myeloid leukemia cells induced by 9-*cis* retinoic acid (1359) 71
Kanematsu, T., see Takeuchi, H. (1359) 275
Katan, M., see Takeuchi, H. (1359) 275
Kikkawa, U., see Takeuchi, H. (1359) 275
Kilian, P., see Heim, H.-K. (1359) 35
Kim, H.-M., see Lee, E.-H. (1359) 59
Kim, I.-G., Jun, D.Y., Sohn, U. and Kim, Y.H.
Cloning and expression of human mitotic centromere-associated kinesin gene (1359) 181
Kim, Y.H., see Kim, I.-G. (1359) 181
Kishi, H., see Minegishi, T. (1359) 165
Konishi, H., see Takeuchi, H. (1359) 275
Kreisberg, J.I., see Ghosh, P.M. (1359) 13

Lee, B.J., see Chittum, H.S. (1359) 25
Lee, E.-H. and Kim, H.-M.
Activation of inducible nitric oxide synthase by human choriogonadotropin in RAW 264.7 cells (1359) 59
Levasseur, S., see Dupuis, F. (1359) 241
Levy, J.G., see Margaron, P. (1359) 200
Loscalzo, J., see Zhao, Z. (1359) 143

Makishima, M., see Kanatani, Y. (1359) 71
Margaron, P., Sorrenti, R. and Levy, J.G.
Photodynamic therapy inhibits cell adhesion without altering integrin expression (1359) 200
Martinez, C., see Pozo, D. (1359) 250
Megaritis, G., see Georgoussi, Z. (1359) 263
Mehta, P., see Zhang, W. (1359) 110
Merkouris, M., see Georgoussi, Z. (1359) 263
Michel, L., see Dupuis, F. (1359) 241
Miller, D.L., see Zhang, W. (1359) 110
Milligan, G., see Georgoussi, Z. (1359) 263
Minegishi, T., Tano, M., Kishi, H., Kameda, T. and Miyamoto, K.
Follicle-stimulating hormone regulation on its receptor messenger ribonucleic acid levels in cultured rat granulosa cells (1359) 165
Miro Obradors, M.J., Sillence, D., Howitt, S. and Allan, D.
The subcellular sites of sphingomyelin synthesis in BHK cells (1359) 1
Misumi, Y., see Takeuchi, H. (1359) 275
Miyajima, K., see Ishiwata, H. (1359) 123
Miyamoto, K., see Minegishi, T. (1359) 165
Miyazaki, K., see Hoshi, Y. (1359) 65
Motoyoshi, K., see Kanatani, Y. (1359) 71
Mott, G.E., see Ghosh, P.M. (1359) 13
Mullaney, I., see Georgoussi, Z. (1359) 263

Nagata, N., see Kanatani, Y. (1359) 71
Netz-Piepenbrink, S., see Heim, H.-K. (1359) 35

Olson, M.S., see Eakes, A.T. (1359) 153
Oude Weernink, P.A., see Van der Heyden, M.A.G. (1359) 211

Piller, M., see Heim, H.-K. (1359) 35
Pozo, D., Delgado, M., Martinez, C., Gomariz, R.P., Guerrero, J.M. and Calvo, J.R.
Functional characterization and mRNA expression of pituitary adenylate cyclase activating polypeptide (PACAP) type I receptors in rat peritoneal macrophages (1359) 250
Praloran, V., see Dupuis, F. (1359) 241

Qiao, L., Shiff, S.J. and Rigas, B.
Sulindac sulfide induces several subpopulations of colon cancer cells, defined by PCNA/Ki-67 and DNA strand breaks (1359) 222

Radnik, R.A., see Ghosh, P.M. (1359) 13
Ravid, K., see Zhao, Z. (1359) 143
Rigas, B., see Qiao, L. (1359) 222
Rijksen, G., see Van der Heyden, M.A.G. (1359) 211
Rothkegel, M., see Schlüter, K. (1359) 97

Sakane, F., see Takeuchi, H. (1359) 275
Sakurai, A., see Kanatani, Y. (1359) 71
Sato, S.B., see Ishiwata, H. (1359) 123
Schlapbach, R. and Fontana, A.
Differential activity of bcl-2 and ICE enzyme family protease inhibitors on Fas and puromycin-induced apoptosis of glioma cells (1359) 174
Schlüter, K., Jockusch, B.M. and Rothkegel, M.
Profilins as regulators of actin dynamics (1359) 97
Schwede, J., see Heim, H.-K. (1359) 35
Sewing, K.-F., see Heim, H.-K. (1359) 35
Shiff, S.J., see Qiao, L. (1359) 222
Sillence, D., see Miro Obradors, M.J. (1359) 1
Sohn, U., see Kim, I.-G. (1359) 181
Sorrenti, R., see Margaron, P. (1359) 200
Spisani, S., see Fabbri, E. (1359) 233
Stanley, K.K., see Burgess, J.W. (1359) 48
Stapleton, M.L., see Ghosh, P.M. (1359) 13

Takahashi, N., see Kanatani, Y. (1359) 71
Takeuchi, H., Kanematsu, T., Misumi, Y., Sakane, F., Konishi, H., Kikkawa, U., Watanabe, Y., Katan, M. and Hirata, M.
Distinct specificity in the binding of inositol phosphates by pleckstrin homology domains of pleckstrin, RAC-protein kinase, diacylglycerol kinase and a new 130 kDa protein (1359) 275
Tano, M., see Minegishi, T. (1359) 165
Tanooka, H., see Hoshi, Y. (1359) 65
Torrini, I., see Fabbri, E. (1359) 233
Tramposch, K.M., see Burke, J.R. (1359) 80
Traniello, S., see Fabbri, E. (1359) 233

Van Bergen en Henegouwen, P.M.P., see Van der Heyden, M.A.G. (1359) 211
Van der Heyden, M.A.G., Oude Weernink, P.A., Van Oirschot, B.A., Van Bergen en Henegouwen, P.M.P., Boonstra, J. and Rijksen, G.
Epidermal growth factor-induced activation and translocation of c-Src to the cytoskeleton depends on the actin binding domain of the EGF-receptor (1359) 211
Van Oirschot, B.A., see Van der Heyden, M.A.G. (1359) 211
Vertut-Doï, A., see Ishiwata, H. (1359) 123
Vietor, I. and Huber, L.A.
In search of differentially expressed genes and proteins (1359) 187

Wakasugi, H., see Hoshi, Y. (1359) 65
Watanabe, Y., see Takeuchi, H. (1359) 275
Wei, Y., see Ye, Q. (1359) 89
Welch, G., see Zhao, Z. (1359) 143

Ye, Q., Wei, Y., Fischer, R., Borner, C. and Berchtold, M.W.
Expression of calmodulin and calmodulin binding proteins in rat fibroblasts stably transfected with protein kinase C and oncogenes (1359) 89

Zhang, W., Espinoza, D., Hines, V., Innis, M., Mehta, P. and Miller, D.L.
Characterization of β-amyloid peptide precursor processing by the yeast Yap3 and Mkc7 proteases (1359) 110

Zhao, Z., Francis, C.E., Welch, G., Loscalzo, J. and Ravid, K.
Reduced glutathione prevents nitric oxide-induced apoptosis in vascular smooth muscle cells (1359) 143

Zioudrou, C., see Georgoussi, Z. (1359) 263